

November 7, 2024

REQUEST FOR QUOTATION

The **TOURISM PROMOTIONS BOARD** invites you to submit quotations for the item/s listed below:

RFQ No. TPB-RFQ 2024-11-305

PR No. 08.026 (08.157)

Requirements: Supply and Delivery of Passbook Printer


| Quantity | Item/Description | Estimated Unit Price | Total Cost (PhP) |
|----------|--|----------------------|------------------|
| 1 unit | <p>Passbook Printer</p> <p>Technical Specification</p> <ul style="list-style-type: none"> - Printing Technology: Impact Dot Matrix - Print Speed: 580 cps (VHSD), 520 cps (HSD), 400 cps (Draft), (NLQ), 133cps (LQ) - Line Length: 94 columns @ 10cpi, 112 columns @12cpi, 141 columns@15cpi - Paper Handling: Single sheet, envelopes, label, fanfold (40gr/m2 to 200gr/2 – 0.65mm to 2.7mm) Passbook (horizontal and vertical) Single sheet: (w) 65-244mm), (L) 65-470mm - Copies: 1 original+ 6 copies - Special Functions: Automatic Gap Adjustment (AGA), Document Auto Alignment, Auto Border Recognition, Optical Mark Reading, Automatic Set-Up - Graphic Resolution: 60, 120, 180, 240, 360 Horizontal – 72, 90, 180, 216, 360 vertical - Character Set: 21 International Code Page, 28 International Character Set, Gost, Mazovia, Farsi - Barcodes: UPC A/E, EAN 8/13, Code 11/39/93/128, ADD-ON 2/5, BCD, MSI, 2/5 Interleaved, 2/5 Matrix, 2/5 Industrial, Postnet, Codabar - Resident Fonts: Draft, Courier, Gothic, Prestige, Presenter, Script, OCR-A/B Boldface - Drivers: Windows 2000, XP, Vista (32-64 bits), Windows 7 (32-64 bits) - Resident Emulations: IBM - Personal Printer 2390+/Proprinter II/ XL24/XL24AGM/4722/ 9068/ IBM4009 on request Epson - LQ series/ESC/P | Php65,000.00 | Php65,000.00 |

| | | | |
|----------|--|--|--------------|
| | <p>Olivetti PR40plus/PR2E/PR2845/PR50, HPR 4915, UNISYS EFP series</p> <ul style="list-style-type: none"> - Interface: Standard: Parallel, Serial RS-232 C, USB 2.0 Full Speed (Automatic Interface Switching) Optional: 2nd Serial, 2nd USB device High Speed, Ethernet 10/100, up to 3 USB Hub ports, USB Host (2.0 Full Speed OHCI) - Memory: Input buffer up to 256 Kbytes - Flash Memory 4 Mbytes - SDRAM 16 Mbytes - Drivers: Windows 2000, XP -Vista, W7/W8/W10 (32-64 bits)-W Server 2003/2008/2012 (32-64 bits) LINUX-UNIX - Print Head: 24 needles, life > 400 million characters (equivalent to > 1 Billion strokes/wire) - Consumables: Black Ribbon, life 10 million characters - Noise Level: < 54 dB (A) - Power Supply: Universal 100-230V, 60+50 Hz Power Consumption: 45W (ISO/IEC 10561 Letter pattern) - Sleep Mode < 3 W Off Mode OW – Energy Star compliant) - Dimensions and Weight: 496 (W) x 200 (H) x 285 (D) mm- 8 Kg (9.2 Kg packed) <p>LEGAL REQUIREMENT:</p> <ol style="list-style-type: none"> a. PhilGEPS Certificate b. Mayor’s Business Permit c. SEC/DTI Registration Certificate d. BIR Registration e. Company profile (New Supplier) f. Statement of Compliance to the Technical Specification (Annex “A”) <p>ATTACHMENTS:</p> <ol style="list-style-type: none"> a. Statement of Compliance to the Technical Specification (Annex “A”) <p>NOTE:</p> <ol style="list-style-type: none"> 1. All entries must be typewritten on your company letterhead. 2. Price Validity shall be for a period of thirty (30) calendar days. | | |
| Terms | 30 days from receipt of Invoice | | |
| Delivery | 30 Calendar days upon receipt of NTP | | |
| ABC | The approved budget for the contract (ABC) inclusive of applicable taxes | | Php65,000.00 |

Please submit your **quotation and legal** documents duly signed by your authorized representative to email address bhong_ducusin@tpb.gov.ph not later than **13 November 2024 at 5:00 PM**, subject to the Terms and Conditions stated herein and the shortest time of delivery.

Please be informed that the Tourism Promotions Board is evaluating our suppliers' performance based on these criteria: Quality (40%), Cost (25%), Timeliness (25%), and Customer Service (10%)

Thank you very much.

A handwritten signature in blue ink, appearing to read 'Janet G. Villafranca', is written over a horizontal line. The signature is stylized with a large loop on the left and a checkmark-like flourish on the right.

JANET G. VILLAFRANCA
Officer-in-Charge,
Procurement Management Division
Finance Department

Contact person: Jose T. Ducusin, Jr
Contact number: 02 8525 -7312 / 8525 – 9318 to 27

| TECHNICAL SPECIFICATION | | | |
|--|---|----------------|----------------------------------|
| Bidders must state "Comply" or any equivalent term in the column "Bidder's Statement against each of the Individual parameters of each Specification | | | |
| Item | Description | Total Quantity | Bidder's Statement of Compliance |
| A. | Supply and Delivery of Passbook Printe | | 1 unit |
| | <p>Check Printer with Scanner and UV Scanner</p> <p>Technical Specification</p> <ul style="list-style-type: none"> - Technology: Impact Dot Matrix - Print Speed: 580 cps (VHSD), 520 cps (HSD), 400 cps (Draft), (NLQ), 133cps (LQ) - Line Length: 94 columns @ 10cpi, 112 columns @12cpi, 141 columns@15cpi - Paper Handling: Single sheet, envelopes, label, fanfold (40gr/m2 to 200gr/2 – 0.65mm to 2.7mm) Passbook (horizontal and vertical) Single sheet: (w) 65-244mm), (L) 65-470mm - Copies: 1 original+ 6 copies - Special Functions: Automatic Gap Adjustment (AGA), Document Auto Alignment, Auto Border Recognition, Optical Mark Reading, Automatic Set-Up - Graphic Resolution: 60, 120, 180, 240, 360 Horizontal – 72, 90, 180, 216, 360 vertical - Character Set: 21 International Code Page, 28 International Character Set, Gost, Mazovia, Farsi - Barcodes: UPC A/E, EAN 8/13, Code 11/39/93/128, ADD-ON 2/5, BCD, MSI, 2/5Interleaved, 2/5 Matrix, 2/5 Industrial, Postnet, Codabar - Resident Fonts: Draft, Courier, Gothic, Prestige, Presenter, Script, OCR-A/B Boldface - Drivers: Windows 2000, XP, Vista (32-64 bits), Windows 7 (32-64 bits) - Resident Emulations: IBM - Personal Printer 2390+/Proprinter II/ XL24/XL24AGM/4722/ 9068/ IBM4009 on request Epson - LQ series/ESC/P Olivetti PR40plus/PR2E/PR2845/PR50, HPR 4915, UNISYS EFP series - Interface: Standard: Parallel, Serial RS-232 C, USB 2.0 Full Speed (Automatic Interface Switching) Optional: 2nd Serial, 2nd USB device High Speed, Ethernet 10/100, up to 3 USB Hub ports, USB Host (2.0 Full Speed OHCI) | | |

| | | | |
|--|---|--|--|
| | <ul style="list-style-type: none"> - Memory: Input buffer up to 256 Kbytes - Flash Memory 4 Mbytes - SDRAM 16 Mbytes - Drivers: Windows 2000, XP -Vista, W7/W8/W10 (32-64 bits)-W Server 2003/2008/2012 (32-64 bits) LINUX-UNIX - Print Head: 24 needles, life > 400 million characters (equivalent to > 1 Billion strokes/wire) - Consumables: Black Ribbon, life 10 million characters - Noise Level: < 54 dB (A) - Power Supply: Universal 100-230V, 60+50 Hz Power Consumption: 45W (ISO/IEC 10561 Letter pattern) - Sleep Mode < 3 W Off Mode OW – Energy Star compliant) - Dimensions and Weight: 496 (W) x 200 (H) x 285 (D) mm- 8 Kg (9.2 Kg packed) | | |
| | <p>DELIVERY DATE: Must be delivered within Thirty (30) calendar days upon receipt of Notice to Proceed (NTP) after which liquidated damages shall be imposed</p> | | |

I hereby certify to Comply with all the above Technical Specifications.

Name of Company/Bidder

Signature over Printed Name of
Representative

Date